CARACTERISTICAS SOCIODEMOGRAFICAS Y EPIDEMIOLOGICAS DE LA CLIENTELA ATENDIDA EN LOS PROGRAMAS DE SALUD MENTAL DE ASSMCA PARA EL AÑO FISCAL 2008-2009

SEXO

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	FEMENINO	7079	52.1	52.1	52.1
	MASCULINO	6502	47.9	47.9	100.0
	Total	13581	100.0	100.0	

GRUPOS DE EDAD POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
REDAD GRUPOS DE EDAD	18-20	1.6%	2.5%	2.0%
	21-64	87.7%	89.4%	88.5%
	65-74	7.0%	6.1%	6.5%
	75 Y MAS	3.7%	2.1%	2.9%
	Total	100.0%	100.0%	100.0%

ESTADO MARITAL POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_EstadoMarital	CASADO(A)	19.5%	17.3%	18.5%
	DESCONOCIDO	2.5%	2.9%	2.7%
	DIVORCIADO(A)	20.2%	12.7%	16.6%
	NUNCA CASADO	33.2%	54.5%	43.4%
	SEPARADO(A)	6.8%	4.1%	5.5%
	UNIÓN CONSENSUAL	10.2%	6.9%	8.6%
	VIUDO(A)	7.6%	1.5%	4.7%
	Total	100.0%	100.0%	100.0%

CONDICION LABORAL POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_CondLaboral	DESCONOCIDO	1.5%	1.3%	1.4%
	DESEMPLEADO	12.7%	31.1%	21.5%
	EMPLEO TIEMPO COMPLETO	5.4%	7.0%	6.2%
	EMPLEO TIEMPO PARCIAL	4.9%	4.4%	4.7%
	ESTUDIA Y TRABAJA	1.2%	.9%	1.1%
	NO PARTICIPA EN LA FUERZA LABORAL	74.4%	55.2%	65.2%
	Total	100.0%	100.0%	100.0%

NO PARTICIPA EN LA FUERZA LABORAL POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_NoFuerzaLaboral	AMA DE CASA	44.9%	.9%	23.8%
	DESCONOCIDO	.9%	1.5%	1.2%
	ENCARCELADO	.4%	3.4%	1.8%
	ESTUDIANTE	2.3%	2.0%	2.1%
	INCAPACITADO	14.2%	24.4%	19.1%
	NO APLICA	29.2%	49.9%	39.1%
	NO INFORMÓ	1.8%	5.6%	3.6%
	NO SE RECOPILA LA INFORMACIÓN	.0%	.1%	.1%
	OTROS	3.8%	9.0%	6.3%
	REALIZA TRABAJO VOLUNTARIO O NO REMUNERADO	.0%	.2%	.1%
	RETIRADO	2.5%	3.0%	2.7%
	Total	100.0%	100.0%	100.0%

ULTIMO GRADO COMPLETADO POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
REGRADO	Menos de 1 año o nínguna	1.4%	1.7%	1.5%
	Pre-escolar	.0%	.1%	.1%
	K-6to Grado	14.5%	16.9%	15.7%
	Escuela Intermedia	15.6%	17.8%	16.7%
	Algún grado de escuela superior	7.5%	9.8%	8.6%
	Diploma de escuela superior o curso vocacional	36.2%	34.1%	35.2%
	Educación Especial	.4%	.4%	.4%
	Grado Asociado	8.1%	5.0%	6.6%
	Algún año en universidad	.4%	.7%	.5%
	Bachillerato	8.2%	4.7%	6.5%
	Maestría	1.1%	.6%	.9%
	Doctorado	.2%	.3%	.3%
	No informó	6.2%	7.9%	7.0%
	Total	100.0%	100.0%	100.0%

DESERCION ESCOLAR POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DesertorEscolar	NO	61.8%	54.6%	58.3%
	SI	38.2%	45.4%	41.7%
	Total	100.0%	100.0%	100.0%

ESTATUS DE VETERANO POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_Veterano	NO	99.1%	97.5%	98.3%
	SI	.9%	2.5%	1.7%
	Total	100.0%	100.0%	100.0%

GRUPO ETNICO POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_GrupoEtnico	CUBANO	.2%	.2%	.2%
	DOMINICANO	2.5%	1.1%	1.8%
	HISPANO (ORIGEN ESPECÍFICO DESCONOCIDO)	.1%	.1%	.1%
	HISPANOS DE OTRA ETNICIDAD	.7%	.4%	.6%
	MEXICANO	.1%	.1%	.1%
	NO HISPANO	.2%	.2%	.2%
	NORTEAMERICANO/ANGLOSAJÓN	.2%	.2%	.2%
	PUERTORRIQUEÑO	96.1%	97.7%	96.8%
	Total	100.0%	100.0%	100.0%

SEGURO DE SALUD POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_SeguroSalud	MEDICARE	2.4%	4.1%	3.2%
	NO TIENE	6.1%	12.7%	9.2%
	PLAN PRIVADO	4.0%	4.0%	4.0%
	REFORMA/MEDICAID	87.6%	79.2%	83.6%
	Total	100.0%	100.0%	100.0%

FUENTE DE PAGO POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_Pago	FONDO DEL SEGURO DEL ESTADO*	.0%		.0%
	MEDICAID	.5%	.8%	.6%
	MEDICARE	2.9%	5.0%	3.9%
	NO SE COBRA	18.8%	28.2%	23.3%
	OTRA FUENTE DE PAGO	.7%	.5%	.6%
	PAGO DIRECTO	2.1%	3.3%	2.7%
	PLAN PRIVADO	2.5%	2.5%	2.5%
	REFORMA	71.6%	58.7%	65.4%

FUENTE DE PAGO POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_Pago	SE DESCONOCE	.9%	1.2%	1.0%
	Total	100.0%	100.0%	100.0%

FEMINA CON HIJOS POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_Femina	EMBARAZADAS CON HIJOS DEPENDIENTES	2.5%		1.3%
	EMBARAZADAS SIN HIJOS DEPENDIENTES	1.7%		.9%
	FÉMENINA CON HIJOS DEPENDIENTES	46.7%		24.4%
	FÉMENINA SIN HIJOS DEPENDIENTES	49.1%		25.6%
	NO APLICA		100.0%	47.9%
	Total	100.0%	100.0%	100.0%

VARONES CON HIJOS POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_VaronHijos	CON HIJOS		42.9%	20.5%
	NO APLICA	100.0%		52.1%
	SIN HIJOS		57.1%	27.3%
	Total	100.0%	100.0%	100.0%

FUENTE DE INGRESO POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_FuenteIngreso	AYUDA DE FAMILIARES	5.9%	8.2%	7.0%
	INCAPACITADO	.0%	.0%	.0%
	NINGUNO	.2%	.4%	.3%
	OTRAS	3.8%	3.6%	3.7%
	PENSIÓN ALIMENTICIA	1.3%	.4%	.9%
	PENSIÓN DE VETERANOS	.3%	.3%	.3%
	PENSIÓN/SEGURO SOCIAL	18.1%	22.5%	20.2%
	PROGRAMA ASISTENCIA ECONÓMICA	5.7%	4.1%	4.9%
	PROGRAMA ASISTENCIA NUTRICIONAL	39.8%	26.5%	33.4%
	SALARIO/JORNAL	12.5%	12.9%	12.7%
	SE DECONOCE	12.3%	21.1%	16.5%
	Total	100.0%	100.0%	100.0%

INGRESO ANUAL INDIVIDUAL POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_IngresoAnual Individual	0- 999	22.4%	23.9%	23.1%
	1,000 - 2,499	19.0%	13.7%	16.5%
	10,000 - 14,999	3.5%	3.7%	3.6%
	15,000 - 24,999	1.2%	1.0%	1.1%
	2,500 - 4,999	11.7%	8.1%	10.0%
	25,000 - 49,999	.4%	.5%	.4%
	5,000 - 7,499	8.2%	7.3%	7.8%
	50,000 - Más	.2%	.2%	.2%
	7,500 - 9,999	3.8%	4.3%	4.0%
	NO APLICA	3.7%	4.2%	3.9%
	SE DECONOCE	26.0%	33.1%	29.4%
	Total	100.0%	100.0%	100.0%

MUNICIPIO DE RESIDENCIA POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_Municipio	AÍBONITO	.0%	.4%	.2%
	AÑASCO	1.0%	.6%	.8%
	ADJUNTAS	.0%	.2%	.1%
	AGUADA	.4%	.5%	.5%
	AGUADILLA	.7%	.7%	.7%
	AGUAS BUENAS	.3%	.3%	.3%
	ARECIBO	.5%	.4%	.5%
	ARROYO	.1%	.1%	.1%
	BARCELONETA	.0%	.3%	.1%
	BARRANQUITAS	.2%	.4%	.3%
	BAYAMÓN	1.8%	2.8%	2.3%
	CABO ROJO	4.2%	3.1%	3.7%
	CAGUAS	.9%	2.9%	1.9%
	CAMUY	.1%	.6%	.3%
	CANÓVANAS	.2%	.6%	.4%
	CAROLINA	1.8%	2.2%	2.0%
	CATAÑO	.6%	.5%	.6%
	CAYEY	.3%	.9%	.6%
	CEÍBA	.6%	.2%	.4%
	CIALES	.0%	.2%	.1%
	CIDRA	.0%	.2%	.1%
	COAMO	.1%	.4%	.3%
	COMERÍO	.1%	.2%	.1%
	COROZAL	.2%	.4%	.3%
	CULEBRA	.0%	.0%	.0%
	DEAMBULANTE	.2%	.2%	.2%
	DORADO	.2%	.4%	.3%

MUNICIPIO DE RESIDENCIA POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_Municipio	FAJARDO	.9%	.9%	.9%
	FLORIDA	.0%	.1%	.1%
	GUANICA	.1%	.1%	.1%
	GUAYAMA	.1%	.3%	.2%
	GUAYANILLA	.0%	.2%	.1%
	GUAYNABO	1.7%	1.6%	1.6%
	GURABO	.7%	.5%	.6%
	HATILLO	.0%	.2%	.1%
	HORMIGUERO	1.6%	.9%	1.3%
	HUMACAO	.2%	.5%	.3%
	ISABELA	.2%	.6%	.4%
	JAYUYA	.0%	.2%	.1%
	JUANA DÍAZ	.1%	.3%	.2%
	JUNCOS	.0%	.2%	.1%
	LAJAS	.2%	.3%	.2%
	LARES	.2%	.3%	.2%
	LAS MARÍAS	1.1%	1.0%	1.1%
	LAS PIEDRAS	.2%	.1%	.2%
	LOÍZA	.2%	.3%	.2%
	LUQUILLO	.1%	.5%	.3%
	MANATÍ	.2%	.7%	.4%
	MARICAO	.6%	.2%	.4%
	MAUNABO	.1%	.2%	.1%
	MAYAGÜEZ	11.3%	7.7%	9.6%
	MOCA	4.2%	4.4%	4.3%
	MOROVIS	.1%	.2%	.2%
	NAGUABO	.1%	.3%	.2%
	NARANJITO	.1%	.3%	.2%
	NO INFORMACIÓN	.9%	1.0%	.9%
	OROCOVIS	.2%	.5%	.4%
	PATILLAS	.0%	.1%	.1%
	PEÑUELAS	.1%	.5%	.3%
	PONCE	.3%	1.6%	.9%
	QUEBRADILLA	.1%	.1%	.1%
	RÍO GRANDE	1.5%	1.5%	1.5%
	RINCÓN	.3%	.3%	.3%
	SABANA GRANDE	.4%	.6%	.5%
	SALINAS	.1%	.3%	.2%
	SAN GERMAN	.7%	.8%	.8%
	SAN JUAN	49.5%	39.7%	44.8%
	SAN LORENZO	.0%	.4%	.2%
	SAN SEBASTÍAN	2.8%	2.7%	2.7%
	SANTA ISABEL	.0%	.1%	.0%
	TOA ALTA	.3%	.4%	.3%
	TOA BAJA	.8%	.9%	.9%

MUNICIPIO DE RESIDENCIA POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_Municipio	TRUJILLO ALTO	1.3%	1.7%	1.5%
	UTUADO	.1%	.3%	.2%
	VEGA ALTA	.2%	.4%	.3%
	VEGA BAJA	.2%	1.0%	.6%
	VIEQUES	1.0%	1.6%	1.3%
	VILLALBA		.2%	.1%
	YABUCOA	.0%	.2%	.1%
	YAUCO	.1%	.2%	.1%
	Total	100.0%	100.0%	100.0%

ZONA GEOGRAFICA POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_Zona	RURAL	44.0%	50.7%	47.2%
	URBANA	56.0%	49.3%	52.8%
	Total	100.0%	100.0%	100.0%

JEFE DE FAMILIA POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_Familiar	ABUELOS	.5%	1.5%	1.0%
	AMBOS PADRES	3.7%	10.1%	6.8%
	AMIGOS	.8%	.3%	.6%
	ESPOSO(A) E HIJOS(AS)	13.7%	10.7%	12.3%
	ESPOSO(A) O CAMPAÑERO(A) SOLAMENTE	11.9%	9.7%	10.8%
	HERMANOS	2.8%	5.2%	3.9%
	HIJOS SOLAMENTE	22.5%	2.0%	12.7%
	MADRE	7.9%	18.5%	13.0%
	NO INFORMÓ	2.1%	2.8%	2.4%
	OTRO	5.8%	7.5%	6.6%
	OTRO FAMILIAR	2.6%	2.2%	2.4%
	PADRASTRO O MADRASTRA	.0%	.0%	.0%
	PADRE	1.1%	3.0%	2.0%
	PERSONAS NO EMPARENTADAS	4.9%	6.7%	5.8%
	TUTOR	.5%	.4%	.4%
	VIVE SOLO	19.4%	19.4%	19.4%
	Total	100.0%	100.0%	100.0%

TIPO DE RESIDENCIA POE SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_Residencia	ALQUILADA	20.0%	13.0%	16.7%
	AMIGOS	.8%	.7%	.8%
	FAMILIARES	10.7%	19.1%	14.7%
	HOGAR DE CRIANZA	.1%	.1%	.1%
	HOGAR SUSTITUTO	3.1%	4.4%	3.7%
	HOGAR TRANSICIONAL	3.0%	4.1%	3.5%
	HOGARES GRUPALES, ORFANATO	2.2%	2.9%	2.5%
	INSTITUCIÓN CORRECCIONAL	.4%	1.3%	.8%
	INSTITUCIÓN PSQUIÁTRICA HOSPITALARIA	.1%	.1%	.1%
	INSTITUCIONES RESIDENCIALES	2.0%	2.4%	2.2%
	PROPIA	33.9%	32.4%	33.2%
	SE DESCONOCE	3.7%	6.7%	5.2%
	SIN HOGAR (DEAMBULANTE)	1.1%	3.0%	2.0%
	VIVIENDA PÚBLICA	18.9%	9.6%	14.5%
	Total	100.0%	100.0%	100.0%

PROGRAMA DE TRATAMIENTO POR SEXO

% within DE_Sexo

	DE_Sexo		
	FEMENINO	MASCULINO	Total
CENTRO DE REHABILITACION PSICO-SOCIAL DE CAYEY	1.4%	3.7%	2.5%
CENTRO DE REHABILITACION PSICO-SOCIAL DE TRUJILLO ALTO	.6%	1.3%	.9%
CENTRO DE SALUD MENTAL DE MOCA	7.7%	7.7%	7.7%
CENTRO DE SALUD MENTAL DE SAN PATRICIO	50.0%	38.5%	44.7%
CENTRO DE SALUD MENTAL DE VIEQUES	1.0%	1.3%	1.1%
CENTRO DE SALUD MENTAL MAYAGUEZ	20.9%	13.5%	17.3%
HOSPITAL DE PSIQUIATRÍA FORENSE DE PONCE	1.7%	7.0%	4.2%
HOSPITAL DE PSIQUIATRÍA FORENSE DE SAN JUAN	.3%	6.8%	3.4%
HOSPITAL DE PSIQUIATRÍA GENERAL DE RÍO PIEDRAS	11.7%	14.6%	13.1%
PROGRAMA DE DEAMBULANTES	.8%	1.2%	1.0%
PROGRAMA DE HOGARES	3.4%	3.6%	3.5%
Total	100.0%	100.0%	100.0%

DIAGNOSTICO DUAL POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_DiagnosticoDual	NO	92.4%	80.1%	86.5%
	SI	7.6%	19.9%	13.5%

DIAGNOSTICO DUAL POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_DiagnosticoDual	Total	100.0%	100.0%	100.0%

FUENTE DE REFERIDO POR SEXO

% within DE_Sexo

	DE_Sexo		
	FEMENINO	MASCULINO	Total
ABOGADOS PRIVADOS	.0%	.0%	.0%
ADM. REHABILITACIÓN VOCACIONAL	.0%	.1%	.1%
ADMINISTRACIÓN DE CORRECIÓN	1.0%	1.7%	1.3%
ADMINISTRACIÓN DE TRIBUNALES	5.4%	17.3%	11.1%
AGENCIAS DE ORDEN EJECUTIVAS		.1%	.0%
ALCANCE COMUNITARIO	.2%	.2%	.2%
ASSMCA	8.6%	9.8%	9.2%
CALIDAD DE VIDA ESCOLAR		.0%	.0%
CENTRO DE SALUD MENTAL	.1%	.1%	.1%
CENTRO PARA TX. DE ABUSO DE SUSTANCIAS	.1%	.2%	.2%
CLÍNICO EN PRÁCTICA PRIVADA	3.1%	2.2%	2.7%
COMUNIDAD	.4%	.5%	.5%
COMUNIDADES DE FE	.0%	.0%	.0%
DEPARTAMENTO DE EDUCACIÓN	.2%	.1%	.1%
DEPARTAMENTO DE LA FAMILIA	1.4%	.7%	1.0%
DEPARTAMENTO DE SALUD	.6%	.5%	.6%
DEPARTEMENTO DE JUSTICIA	1.3%	.4%	.9%
HOGAR DE REHABILITACIÓN	.3%	.3%	.3%
HOSPITAL DE PSIQUIATRÍA	4.9%	6.2%	5.5%
HOSPITAL PRIVADO	.3%	.1%	.2%
HOSPITAL PSIQUIATRÍA FORENSE	.0%	1.1%	.6%
HOSPITAL PSIQUIATRÍCO PRIVADO	1.5%	1.4%	1.4%
INSTITUCIONES JUVENILES	.0%	.2%	.1%
INSTITUCIONES PRIVADAS	.4%	.2%	.3%
NO NFORMACIÓN/DESCONOCIDO	.5%	.5%	.5%
OFICINA ASUNTOS DE LA JUVENTUD		.0%	.0%
OFICINA DEL PROCURADOR DEL PACIENTE	.0%	.1%	.1%
ORHELA	.1%	.0%	.0%
OSAJ		.0%	.0%
OTRAS AGENCIAS GUBERNAMENTALES	.5%	.7%	.6%
OTRAS COMUNIDADES DE BASE COMUNITARIA	.2%	.3%	.2%
OTROS	19.4%	15.1%	17.4%
PROGRAMA PRIVADO DE SALUD MENTAL	.6%	.7%	.6%
PROGRAMAS ESPECIALES	.1%	.1%	.1%
REFORMA DE SALUD	2.2%	1.7%	2.0%
SALA DE EMERGENCIA	.2%	.1%	.2%
TERCEROS CON INTERÉS	5.8%	6.6%	6.2%

FUENTE DE REFERIDO POR SEXO

% within DE_Sexo

	DE_Sexo		
	FEMENINO	MASCULINO	Total
UNIDADES MÓVILES	.0%	.1%	.0%
VOLUNTARIOS	40.5%	30.4%	35.7%
Total	100.0%	100.0%	100.0%

ESTADO LEGAL DEL REFERIDO POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_EstadoLegal	DRUG COURT (247.1)	.6%	6.7%	3.5%
	DRUG COURT (404)	.9%	1.6%	1.2%
	LEY 1155	.0%	.0%	.0%
	LEY 177	.5%	.2%	.3%
	LEY 188	.0%	.0%	.0%
	LEY 22 ALCOHOL	.0%	.1%	.1%
	LEY 30		.1%	.0%
	LEY 408	10.5%	12.6%	11.5%
	LEY 54	.4%	.8%	.6%
	LEY 59 (SECTOR PRIVADO)		.1%	.1%
	LEY 67	.1%	.1%	.1%
	NO APLICA	44.5%	35.5%	40.2%
	NO INTERVENIDO POR JUSTICIA	36.3%	26.3%	31.5%
	NO SE RECOPILA INFORMACION	.4%	.3%	.3%
	OTROS	4.4%	5.4%	4.9%
	PROBATORIA	.1%	.7%	.4%
	REGLA 240	.8%	4.7%	2.7%
	REGLA 241	.5%	4.4%	2.3%
	TASC	.1%	.3%	.2%
	Total	100.0%	100.0%	100.0%

¿HA SIDO ARRESTADO ALGUNA VEZ?

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_Arrestado Anteriormente	NO	85.1%	68.0%	76.9%
	SI	14.9%	32.0%	23.1%
	Total	100.0%	100.0%	100.0%

TIPO DE PROBLEMA CON LA JUSTICIA

% within DE_Sexo

	DE_Sexo		
	FEMENINO	MASCULINO	Total
AGRESION	1.0%	3.3%	2.1%

TIPO DE PROBLEMA CON LA JUSTICIA

% within DE_Sexo

	DE_Sexo		
	FEMENINO	MASCULINO	Total
ALTERACION DE LA PAZ	.3%	.7%	.5%
APROPIACION ILEGAL AGRAVADA	.2%	.6%	.4%
ASESINATO / HOMICIDIO	.2%	1.6%	.9%
CONDUCIR BAJO EFECTOS DEL ALCOHOL	.1%	.3%	.2%
CONSUMO DE DROGAS	.7%	2.9%	1.8%
DESACATO	.1%	.5%	.3%
ESCALAMIENTO	.2%	.9%	.5%
FALSIFICACION DE DOCUMENTOS	.1%	.1%	.1%
HURTO / VAMDALISMO	.7%	1.8%	1.2%
NO APLICA	90.9%	70.6%	81.2%
NO INFORMACIÓN	2.1%	2.6%	2.4%
OTRO	2.4%	10.9%	6.5%
PROSTITUCION	.2%	.1%	.1%
TRASIEGO DE DROGAS	.2%	.6%	.4%
VIOLACION DE PROBATORIA	.3%	.4%	.3%
VIOLACION, DELITO SEXUAL	.0%	.4%	.2%
VIOLENCIA DOMESTICA	.3%	1.7%	1.0%
Total	100.0%	100.0%	100.0%

¿HA SIDO ARRESTADO DURANTE EL PASADO MES?

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
Arrestado30dias	NO	97.1%	95.0%	96.1%
	SI	2.9%	5.0%	3.9%
	Total	100.0%	100.0%	100.0%

VIOLENCIA DOMESTICA POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_ViolenciaDomestica	NO	77.1%	96.0%	86.1%
	SI	22.9%	4.0%	13.9%
	Total	100.0%	100.0%	100.0%

¿HA SIDO VICTIMA DE MALTRATO DURANTE LA NIÑEZ?

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_Maltrato	NO	77.3%	86.1%	81.5%
	SI	22.7%	13.9%	18.5%
	Total	100.0%	100.0%	100.0%

TIPO DE MALTRATO POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_TI_Maltrato	EMOCIONAL	9.3%	5.7%	7.6%
	FÍSICO	5.5%	4.4%	5.0%
	NEGLIGENCIA	1.4%	.8%	1.1%
	NO APLICA	79.3%	87.4%	83.2%
	SEXUAL	4.5%	1.8%	3.2%
	Total	100.0%	100.0%	100.0%

INTENTOS SUICIDAS POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_Suicida	NO	79.1%	82.9%	80.9%
	SI	20.9%	17.1%	19.1%
	Total	100.0%	100.0%	100.0%

IDEAS SUICIDAS POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
DE_IdeaSuicida	NO	71.1%	75.4%	73.2%
	SI	28.9%	24.6%	26.8%
	Total	100.0%	100.0%	100.0%

¿HA PARTICIPADO EN GRUPOS DE APOYO?

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
ReunGrupo	NO	90.2%	90.6%	90.4%
	SI	9.8%	9.4%	9.6%
	Total	100.0%	100.0%	100.0%

DIAGNOSTICO PRIMARIO DE SALUD FISICA POR SEXO

% within DE_Sexo

	DE_Sexo		
	FEMENINO	MASCULINO	Total
ASMA	15.0%	8.3%	11.8%
CÁNCER	1.4%	.7%	1.0%
CEGUERA	.1%	.1%	.1%
DIABETES/HIPOGLICEMIA	12.4%	9.8%	11.1%
ENFERMEDAD CARDIOVASCULAR	2.0%	1.9%	2.0%
ENFERMEDADES DE TRASMISION SEXUAL	.1%	.2%	.2%
EPILEPSIA	1.6%	1.6%	1.6%
HEPATITIS A	.1%	.6%	.3%
HEPATITIS B	.2%	.5%	.3%

DIAGNOSTICO PRIMARIO DE SALUD FISICA POR SEXO

% within DE_Sexo

	DE_Sexo		
	FEMENINO	MASCULINO	Total
HEPATITIS C	.9%	3.0%	1.9%
HIPERTENSION	12.8%	9.4%	11.1%
INFECCIÓN CON HIV	1.0%	1.5%	1.2%
NO APLICA	40.5%	53.8%	46.9%
OTRO DIAGNÓSTICO	9.2%	7.0%	8.2%
OTRO IMPEDIMENTO FISICO	.9%	1.0%	1.0%
PACIENTE DE SIDA	.1%	.1%	.1%
SÍNDROMES METABÓLICOS	.3%	.0%	.1%
SORDERA	.1%	.1%	.1%
TRASTORNOS ASOCIADOS A LA TIROIDES	1.4%	.4%	.9%
TUBERCOLOSIS	.0%	.0%	.0%
Total	100.0%	100.0%	100.0%

DIAGNOSTICO PRIMARIO DE DSM IV POR SEXO

% within DE_Sexo

	DE_Sexo		
	FEMENINO	MASCULINO	Total
xx 'Dementia of the Alzheimers Type with Early Onset'	.1%	.1%	.1%
Dementia due to Picks desease	.0%	.1%	.1%
Dementia of the Alzheimer Type with Depressed Mood	.0%	.0%	.0%
Dementia of the Alzheimer Type with Delusions	.0%		.0%
Dementia of the Alzheimer Type with Depressed Mood	.0%	.0%	.0%
Dementia of the Alzheimer Type with Late onset Delusions	.0%	.1%	.1%
Dementia of the Alzheimer Type with Late onset Depressed Mood	.1%		.0%
Dementia of the Alzheimer Type with Late onset Delirium	.0%	.0%	.0%
290.40-Vascular Dementia, Uncomplicated	.0%	.0%	.0%
290.41-Vascular Dementia, with Delirium	.0%		.0%
290.42-Vascular Dementia, with Delusions	.0%		.0%
290.43-Vascular Dimentia, with Depressed Mood	.0%	.0%	.0%
291.0-Alcohol Induced Disorders		.0%	.0%
Alcohol Inducted -Persisting Amnestic disorder		.0%	.0%
Alcohol Inducted -Persisting Dementia	.0%	.0%	.0%
Alcohol Inducted -Psycithic with Hallucinations		.0%	.0%
Alcohol Inducted -Psycithic with Deusions	.0%		.0%
Alcohol Withdrawal	.1%	.3%	.2%
Alcohol Related Disorder NOS		.1%	.0%
292.0-Substance-Related Disorders	.1%	.2%	.1%
Substances Inducted Psychotic Disorder with Delusions	.1%	.4%	.2%
Substances Inducted Psychotic Disorder with Hallucinations	.0%	.3%	.2%
Substances Intoxication Delirium		.1%	.1%
Substances Inducted Persisting Dementia	.0%	.0%	.0%
Substances Inducted Persisting Amnestic Disorder		.0%	.0%
Substances Inducted Mood disorder	.2%	.7%	.4%

DIAGNOSTICO PRIMARIO DE DSM IV POR SEXO

% within DE_Sexo

	DE_Sexo		
	FEMENINO	MASCULINO	Total
Substances Inducted Anxiety disorder	.1%	.4%	.2%
Substances Inducted Related Disorder NOS	.1%	.1%	.1%
293.0-Delirium	.0%	.1%	.1%
293.81-Psychotic Disorder Due to, with Delusions	.1%	.1%	.1%
293.82-Psychotic Disorder Due to, with Hallucinations	.1%	.2%	.1%
293.83-Mood Disorder	.9%	1.6%	1.2%
293.89-Catatonic Disoreder	.1%	.1%	.1%
293.9-Mental Disorder	.1%	.2%	.2%
294.0-Amnestic Disorder	.0%	.0%	.0%
294.10-Dementia	.2%	.2%	.2%
294.8-Amnestic Disorder or Dementia	.2%	.2%	.2%
294.9-Cognitive Disorder NOS	.0%	.0%	.0%
295.10-Schizophrenia, Disorganized Type	.4%	.6%	.5%
295.20-Schizophrenia, Catatonic Type	.1%	.2%	.1%
295.30-Schizophrenia, Paranoid Type	5.5%	11.1%	8.1%
295.40-Schizophreniform Disorder	.1%	.2%	.2%
295.60-Schizophrenia, Residual Type	.2%	.6%	.4%
295.70-Schizoaffective Disorder	4.3%	4.2%	4.2%
295.90-Schizophrenia, Undifferentiated Type	7.4%	15.5%	11.3%
296.00-Bipolar I Disorder, Single manic Episode, Unspecified	.8%	.7%	.8%
296.01-Bipolar I Disorder, Single Manic Episode, Mild	.1%	.0%	.1%
296.02-Bipolar I Disorder, Single Manic Episode, Moderate	.1%	.1%	.1%
296.03-Bipolar I Disorder, Single Manic Episode, Severe out	.1%	.1%	.1%
296.04-Bipolar I Disorder, Single Manic Episode, Severe with	.5%	.2%	.3%
296.05-Bipolar I Disorder, Single Manic Episode, In Partial	.1%		.0%
296.06-Bipolar I Disorder, Single Manic Episode, In Full Rem	.1%	.0%	.1%
296.20-Major Depressive Disorder, Single Episode, Unspecifie	1.2%	1.1%	1.1%
296.21-Major Depressive Disorder, Single Episode, Mild	1.6%	.9%	1.3%
296.22-Major Depressive Disorder, Single Episode, Moderate	4.9%	2.8%	3.9%
296.23-Major Depressive Disorder, Single Episode, Severe wit	3.4%	1.8%	2.6%
296.24-Major Depressive Disorder, Single Episode, Severe wit	1.6%	1.3%	1.5%
296.25-Major Depressive Disorder, Single Episode In Partial	.1%	.0%	.1%
296.26-Major Depressive Disorder, Single Episode, In Full Re	.1%	.0%	.1%
296.30-Major Depressive Disorder, Recurrent, Unspecified	2.5%	1.5%	2.0%
296.31-Major Depressive Disorder, Recurrent, Mild	3.3%	1.3%	2.3%
296.32-Major Depressive Disorder, Recurrent, Moderate	11.6%	4.9%	8.4%
296.33-Major Depressive Disorder, Recurrent, Severe without	9.7%	4.4%	7.2%
296.34-Major Depressive Disorder, Recurrent, Severe with Psy	8.1%	6.1%	7.2%

DIAGNOSTICO PRIMARIO DE DSM IV POR SEXO

% within DE_Sexo

	DE_Sexo		
	FEMENINO	MASCULINO	Total
296.35-Major Depressive Disorder, Recurrent, In Partial Remi	.1%	.1%	.1%
296.36-Major Depressive Disorder, Recurrent, In Full Remissi	.1%	.2%	.1%
296.40-Bipolar Disorders	1.1%	.6%	.8%
296.41-Bipolar I Disorder, Most Recent Episode Manic, Mild	.1%	.0%	.1%
296.42-Bipolar I Disorder, Most Recent Episode Manic, Modera	.1%	.0%	.1%
296.43-Bipolar I Disorder, Most Recent Episode Manic, Severe	.3%	.0%	.2%
296.44-Bipolar I Disorder, Most Recent Episode Manic, Severe	1.5%	.6%	1.1%
296.45-Bipolar I Disorder, Most Recent Episode Manic, In Par		.0%	.0%
296.46-Bipolar I Disorder, Most Recent Episode Manic, In Ful	.0%		.0%
296.50-Bipolar I Disorder, Most Recent Episode Depressed, Un	.4%	.2%	.3%
296.51-Bipolar I Disorder, Most Recent Episode Depressed, Mi	.0%	.1%	.1%
296.52-Bipolar I Disorder, Most Recent Episode Depressed, Mo	.2%	.1%	.2%
296.53-Bipolar I Disorder, Most Recent Episode Depressed, Se	.1%	.0%	.1%
296.54-Bipolar I Disorder, Most Recent Episode Depressed, Se	.2%	.1%	.1%
296.55-Bipolar I Disorder, Most Recent Episode Depressed, In	.0%	.0%	.0%
296.56-Bipolar I Disorder, Most Recent Episode Depressed, In	.0%		.0%
296.60-Bipolar I Disorder, Most Recent Episode Mixed, Unspec	.6%	.4%	.5%
296.61-Bipolar I Disorder, Most Recent Episode Mixed, Mild	.0%	.0%	.0%
296.62-Bipolar I Disorder, Most Recent Episode Mixed, Modera	.1%	.1%	.1%
296.63-Bipolar I Disorder, Most Recent Episode Mixed, Severe	.2%	.2%	.2%
296.64-Bipolar I Disorder, Most Recent Episode Mixed, Severe	.3%	.1%	.2%
296.65-Bipolar I Disorder, Most Recent Episode Mixed, In Par	.1%	.0%	.1%
296.66-Bipolar I Disorder, Most Recent Episode Mixed, In Ful	.0%		.0%
296.7-Bipolar I Disorder, Most Recent Episode Unspecified	.2%	.4%	.3%
296.80-Bipolar Disorder NOS	1.8%	1.1%	1.5%
296.89-Bipolar II Disorder	.5%	.3%	.4%
296.90-Mood Disorder NOS	.4%	.6%	.5%
297.1-Delusional Disorder	.2%	.3%	.2%
297.3-Shared Psychotic Disorder		.0%	.0%
298.8-Breif Psychotic Disorder	.2%	.1%	.1%
298.9-Psychotic Disorder NOS	1.6%	3.3%	2.4%
299.00-Autistic Disorder	.0%	.1%	.1%
99.10-Childhood Disintegrative Disorder	.0%		.0%

DIAGNOSTICO PRIMARIO DE DSM IV POR SEXO

% within DE_Sexo

	DE_Sexo		
	FEMENINO	MASCULINO	Total
299.80-Aspergers Disorder	.0%	.0%	.0%
300.00-Anxiety Disorder NOS	1.8%	1.7%	1.7%
300.01-Panic Disorder without Agoraphobia	1.4%	.9%	1.2%
300.02-Generalized Anxiety Disorder	1.4%	1.0%	1.2%
300.11-Conversion Disorder	.1%	.0%	.1%
300.13-Dissociative Fugue		.0%	.0%
300.14-Dissociative Identity Disorder		.0%	.0%
300.19-Factitious Disorder	.0%		.0%
300.21-Panic Disorder with Agoraphobia	.4%	.2%	.3%
300.29-Specific Phobia	.1%		.0%
300.3-Obsessive-Compulsive Disorder	.1%	.1%	.1%
300.4-Dysthymic Disorder	1.0%	.7%	.9%
300.6-Depersonalization Disorder		.0%	.0%
300.7-Somatoform Disorder	.0%		.0%
300.9-Unspecified Mental Disorder(nonpsychotic)	.0%	.0%	.0%
301.0-Paranoid Personality Disorder	.1%	.1%	.1%
301.13-Cyclothymic Disorder		.0%	.0%
301.20-Schizoid Personality Disorder	.0%	.0%	.0%
301.22-Schizotypal Personality Disorder	.0%		.0%
301.7-Antisocial Personality Disorder	.0%	.1%	.1%
301.83-Borderline Personality Disorder	.0%	.1%	.0%
301.9-Personality Disorder NOS		.1%	.0%
302.4-Exhibitionism		.0%	.0%
302.70-Sexual Dysfunction		.0%	.0%
302.9-Sexual Disorder NOS		.0%	.0%
303.00-Alcohol Intoxication		.1%	.0%
303.90-Alcohol Dependence	.1%	.9%	.5%
304.00-Opioid Dependence	.3%	1.1%	.7%
304.10-Sedative, Hypnotic, or Anxiolytic Dependence	.0%	.1%	.0%
304.20-Cocaine Dependence	.1%	.7%	.4%
304.30-Cannabis Dependence	.1%	.5%	.3%
304.40-amphetamine Dependence	.0%		.0%
304.50-Hallucinogen Dependence	.0%		.0%
304.80-Polysubstance Dependence	.2%	1.5%	.8%
304.90-Other (or Unknown) Substance Dependence	.0%	.1%	.1%
305.00-Alcohol Abuse	.1%	.3%	.2%
305.1-Nicotine Dependence		.0%	.0%
305.20-Cannabis Abuse	.0%	.4%	.2%
305.50-Opioid Abuse		.1%	.0%
305.60-Cocaine Abuse	.1%	.4%	.3%
305.90-Inhalalt Abuse	.0%	.1%	.1%
306.51-Vaginismus	.0%		.0%
307.0-Stuttering	.0%		.0%
307.1-Anorexia Nervosa	.0%		.0%
307.23-Tourettes Disorder		.0%	.0%

DIAGNOSTICO PRIMARIO DE DSM IV POR SEXO

% within DE_Sexo

	DE_Sexo		
	FEMENINO	MASCULINO	Total
307.42-Insomnia	.3%	.3%	.3%
307.44-Hypersomnia	.0%	.0%	.0%
Dyssomnia	.0%	.0%	.0%
307.50-Eating Disorder NOS		.0%	.0%
307.51-Bulimia Nervosa	.0%		.0%
307.80-Pain Disorder Associated with Psychological Factors	.0%		.0%
307.89-Pain Disorder Associated with Both Psychological Fact	.0%		.0%
308.3-Acute Stress Disorder	.2%	.2%	.2%
309.0-Adjustment Disorder with Depressed Mood	.6%	.6%	.6%
309.21-Separation Anxiety Disorder	.0%	.0%	.0%
309.24-Adjustment Disorder with Anxiety	.1%	.2%	.2%
309.28-Adjustment Disorder with Mixed Anxiety and Depress	.5%	.5%	.5%
309.3-Adjustment Disorder with Disturbance of Conduct	.0%	.1%	.1%
309.4-Adjustment Disorder with Mixed Distrubance of Emotion	.0%	.1%	.1%
309.81-Posttraumatic Strees Disorder	.8%	.6%	.7%
309.9-Adjustment Disorder Unspecified	.1%	.5%	.3%
310.10-Personality Change	.0%	.1%	.1%
311-Depressive Disorder NOS	3.1%	2.8%	3.0%
312.30-Impulse-Control Disorder NOS	.6%	1.1%	.8%
312.34-Intermittent Explosive Disorder	.2%	.7%	.5%
312.81-Conduct Disorder, Childhood-Onset Type		.0%	.0%
312.9-Disruptive Behavior Disorder NOS	.0%	.0%	.0%
313.81-Oppositional Defiant Disorder		.0%	.0%
313.82-Identity Problem		.0%	.0%
314.00-Attention-Deficit and Disruptive Behavior Disorder	.1%	.2%	.1%
Attention-Deficit/Hyperactivity Disorder Combined Type	.1%	.3%	.2%
314.9-Attention-Deficit/Hyperactivity Disorder NOS	.0%	.1%	.1%
315.39-Phonological Disorder		.0%	.0%
315.9-Learning Disorder NOS	.0%	.0%	.0%
Psychological Factors Affecting Medication Conditions	.0%		.0%
317-Mild Mental Retardation		.1%	.0%
318.0-Moderate Mental Retardation	.1%	.2%	.1%
318.1-Severe Mental Retardation	.0%	.1%	.1%
319-Mental Retardation, Severity Unspecified	.0%	.1%	.0%
332.1-Neuroleptic-Induced Parkinsonism		.0%	.0%
780.09-Delirium NOS	.1%	.0%	.0%
780.52-Sleep Disorder, Type		.0%	.0%
780.9-Age-Related Cognitive Decline	.0%		.0%
799.9-Diagnosis or Condition Deferred on Axis I or Axis II	.4%	.9%	.6%
995.2-Adverse Effects of Medication NOS		.0%	.0%
No informaron	.2%	.3%	.3%
Se desconoce	2.0%	2.0%	2.0%

DIAGNOSTICO PRIMARIO DE DSM IV POR SEXO

% within DE_Sexo

	DE_Sexo		
	FEMENINO	MASCULINO	Total
'V61.10-Partner Relational Problem'	.3%	.2%	.3%
V61.20-Parent-Child Relational Problem'	.1%	.1%	.1%
V61.8-Sibling Relational Problem'	.0%		.0%
'V61.9-Relational Problem Related to a Mental Disorder or Gen'	.0%	.0%	.0%
'V62.2-Occupational Problem'	.0%	.1%	.0%
V62.3-Academic Problem'		.0%	.0%
'V62.81-Relational Problem NOS'	.0%	.0%	.0%
V62.82-Bereavement'	.2%	.1%	.2%
'V62.89-Borderline Intellectual Functioning'	.0%	.0%	.0%
'V65.2-Malingering'		.0%	.0%
'V71.01-Adult Antisocial Behavior'		.0%	.0%
V71.09-No Diagnosis'.	.3%	.5%	.4%
Total	100.0%	100.0%	100.0%

DIAGNOSTICO SECUNDARIO DSM IV POR SEXO

% within DE_Sexo

	DE_Sexo		
	FEMENINO	MASCULINO	Total
xx 'Dementia of the Alzheimers Type with Early Onset'	.0%	.0%	.0%
Dementia due to Picks desease	.0%	.0%	.0%
Dementia of the Alzheimer Type with Depressed Mood	.0%		.0%
Dementia of the Alzheimer Type with Late onset Depressed Mood	.0%		.0%
290.40-Vascular Dementia, Uncomplicated	.0%		.0%
Alcohol Inducted -Psycithic with Hallucinations		.0%	.0%
Alcohol Withdrawal	.0%	.1%	.1%
Alcohol Related Disorder NOS		.0%	.0%
292.0-Substance-Related Disorders	.0%	.2%	.1%
Substances Inducted Psychotic Disorder with Delusions	.0%	.2%	.1%
Substances Inducted Psychotic Disorder with Hallucinations	.0%	.1%	.0%
Substances Intoxication Delirium	.0%	.0%	.0%
Substances Inducted Mood disorder	.0%	.3%	.1%
Substances Inducted Anxiety disorder	.0%	.2%	.1%
Substances Inducted Related Disorder NOS	.0%	.0%	.0%
293.0-Delirium	.0%		.0%
293.81-Psychotic Disorder Due to, with Delusions		.0%	.0%
293.82-Psychotic Disorder Due to, with Hallucinations		.0%	.0%
293.83-Mood Disorder	.2%	.2%	.2%
293.89-Catatonic Disoreder		.0%	.0%
293.9-Mental Disorder	.0%	.0%	.0%
294.0-Amnestic Disorder		.0%	.0%
294.10-Dementia		.0%	.0%
294.8-Amnestic Disorder or Dementia	.1%	.0%	.0%
294.9-Cognitive Disorder NOS		.0%	.0%

DIAGNOSTICO SECUNDARIO DSM IV POR SEXO

% within DE_Sexo

	DE_Sexo		
	FEMENINO	MASCULINO	Total
295.10-Schizophrenia, Disorganized Type	.0%		.0%
295.30-Schizophrenia, Paranoid Type	.1%	.4%	.2%
295.40-Schizophreniform Disorder		.0%	.0%
295.60-Schizophrenia, Residual Type		.0%	.0%
295.70-Schizoaffective Disorder	.2%	.3%	.2%
295.90-Schizophrenia, Undifferentiated Type	.1%	.2%	.1%
296.00-Bipolar I Disorder, Single manic Episode, Unspecified	.1%	.0%	.1%
296.03-Bipolar I Disorder, Single Manic Episode, Severe out		.0%	.0%
296.04-Bipolar I Disorder, Single Manic Episode, Severe with	.0%		.0%
296.05-Bipolar I Disorder, Single Manic Episode, In Partial		.0%	.0%
296.20-Major Depressive Disorder, Single Episode, Unspecifie	.1%	.1%	.1%
296.21-Major Depressive Disorder, Single Episode, Mild	.0%	.0%	.0%
296.22-Major Depressive Disorder, Single Episode, Moderate	.1%	.2%	.1%
296.23-Major Depressive Disorder, Single Episode, Severe wit	.0%	.2%	.1%
296.24-Major Depressive Disorder, Single Episode, Severe wit	.1%	.2%	.1%
296.30-Major Depressive Disorder, Recurrent, Unspecified	.2%	.1%	.1%
296.31-Major Depressive Disorder, Recurrent, Mild	.2%	.1%	.1%
296.32-Major Depressive Disorder, Recurrent, Moderate	.5%	.2%	.4%
296.33-Major Depressive Disorder, Recurrent, Severe without	.2%	.2%	.2%
296.34-Major Depressive Disorder, Recurrent, Severe with Psy	.3%	.6%	.4%
296.35-Major Depressive Disorder, Recurrent, In Partial Remi		.0%	.0%
296.36-Major Depressive Disorder, Recurrent, In Full Remissi	.0%	.0%	.0%
296.40-Bipolar Disorders	.0%	.1%	.0%
296.42-Bipolar I Disorder, Most Recent Episode Manic, Modera		.0%	.0%
296.44-Bipolar I Disorder, Most Recent Episode Manic, Severe	.0%		.0%
296.50-Bipolar I Disorder, Most Recent Episode Depressed, Un	.0%	.0%	.0%
296.60-Bipolar I Disorder, Most Recent Episode Mixed, Unspec	.0%	.1%	.0%
296.62-Bipolar I Disorder, Most Recent Episode Mixed, Modera		.0%	.0%
296.63-Bipolar I Disorder, Most Recent Episode Mixed, Severe		.1%	.0%
296.64-Bipolar I Disorder, Most Recent Episode Mixed, Severe		.0%	.0%
296.7-Bipolar I Disorder, Most Recent Episode Unspecified		.0%	.0%
296.80-Bipolar Disorder NOS	.1%	.1%	.1%
296.89-Bipolar II Disorder	.1%	.0%	.0%
296.90-Mood Disorder NOS	.1%	.0%	.1%
297.1-Delusional Disorder	.0%	.0%	.0%
298.8-Breif Psychotic Disorder	.0%	.0%	.0%
298.9-Psychotic Disorder NOS	.1%	.2%	.1%
299.00-Autistic Disorder		.0%	.0%
99.10-Childhood Disintegrative Disorder	.0%		.0%
300.00-Anxiety Disorder NOS	1.5%	.9%	1.2%
300.01-Panic Disorder without Agoraphobia	.8%	.2%	.5%
300.02-Generalized Anxiety Disorder	5.9%	4.0%	5.0%

DIAGNOSTICO SECUNDARIO DSM IV POR SEXO

% within DE_Sexo

	DE_Sexo		
	FEMENINO	MASCULINO	Total
300.11-Conversion Disorder	.0%	.0%	.0%
300.12-Dissociative Amnesia	.0%		.0%
300.14-Dissociative Identity Disorder	.0%		.0%
300.15-Dissociative Disorder NOS		.0%	.0%
300.21-Panic Disorder with Agoraphobia	.4%	.2%	.3%
300.22-Agoraphobia without History of Panic Disorder	.0%		.0%
300.23-Social Phobia	.0%	.0%	.0%
300.3-Obsessive-Compulsive Disorder	.1%		.0%
300.4-Dysthymic Disorder	.2%	.2%	.2%
300.6-Depersonalization Disorder	.0%		.0%
300.7-Somatoform Disorder		.0%	.0%
301.0-Paranoid Personality Disorder	.0%		.0%
301.13-Cyclothymic Disorder		.0%	.0%
Dependent Personality Disorder	.0%	.0%	.0%
301.7-Antisocial Personality Disorder		.1%	.0%
301.83-Borderline Personality Disorder	.0%	.0%	.0%
301.9-Personality Disorder NOS		.0%	.0%
302.6-Gender Identity Disorder		.0%	.0%
302.81-Fetishism		.0%	.0%
303.00-Alcohol Intoxication		.0%	.0%
303.90-Alcohol Dependence	.3%	1.1%	.7%
304.00-Opioid Dependence	.3%	1.2%	.7%
304.10-Sedative, Hypnotic, or Anxiolytic Dependence	.2%	.3%	.3%
304.20-Cocaine Dependence	.4%	1.0%	.7%
304.30-Cannabis Dependence	.3%	1.0%	.7%
304.40-amphetamine Dependence	.0%	.0%	.0%
304.50-Hallucinogen Dependence		.0%	.0%
304.60-Inhalant Dependence		.0%	.0%
304.80-Polysubstance Dependence	.1%	.9%	.5%
304.90-Other (or Unknown) Substance Dependence	.0%	.2%	.1%
305.00-Alcohol Abuse	.2%	1.5%	.8%
305.1-Nicotine Dependence	.7%	.9%	.8%
305.20-Cannabis Abuse	.1%	1.2%	.6%
305.30-Hallucinogen Abuse		.1%	.0%
305.40-Sedative, Hypnotic, or Anxiolytic Abuse	.0%	.1%	.1%
305.50-Opioid Abuse	.0%	.1%	.1%
305.60-Cocaine Abuse	.2%	1.4%	.8%
305.70-Amphetamine Abuse		.0%	.0%
305.90-Inhalalt Abuse	.0%	.3%	.2%
307.0-Stuttering	.0%	.0%	.0%
307.20-Tic Disorder NOS	.0%		.0%
307.22-Chronic Motor or Vocal Tic Disorder	.0%	.0%	.0%
307.42-Insomnia	.1%	.1%	.1%
307.80-Pain Disorder Associated with Psychological Factors		.0%	.0%
307.89-Pain Disorder Associated with Both Psychological Fact	.0%	.0%	.0%

DIAGNOSTICO SECUNDARIO DSM IV POR SEXO

% within DE_Sexo

	DE_Sexo		
	FEMENINO	MASCULINO	Total
308.3-Acute Stress Disorder	.0%		.0%
309.0-Adjustment Disorder with Depressed Mood	.1%	.1%	.1%
309.24-Adjustment Disorder with Anxiety	.0%		.0%
309.28-Adjustment Disorder with Mixed Anxiety and Depress	.0%	.1%	.1%
309.3-Adjustment Disorder with Disturbance of Conduct	.0%		.0%
309.4-Adjustment Disorder with Mixed Distrubance of Emotion	.0%	.0%	.0%
309.81-Posttraumatic Strees Disorder	.7%	.2%	.5%
309.9-Adjustment Disorder Unspecified	.0%	.0%	.0%
311-Depressive Disorder NOS	.3%	.4%	.3%
312.30-Impulse-Control Disorder NOS	.3%	.5%	.4%
312.31-Pathological Gambling	.0%	.0%	.0%
312.34-Intermittent Explosive Disorder	.0%	.1%	.1%
312.39-Trichotillomania	.0%	.0%	.0%
312.81-Conduct Disorder, Childhood-Onset Type	.0%	.0%	.0%
313.81-Oppositional Defiant Disorder		.0%	.0%
314.00-Attention-Deficit and Disruptive Behavior Disorder	.0%	.1%	.1%
Attention-Deficit/Hyperactivity Disorder Combined Type		.2%	.1%
314.9-Attention-Deficit/Hyperactivity Disorder NOS		.0%	.0%
315.1-Mathematics Disorder		.0%	.0%
315.2-Disorder of Written Expression		.0%	.0%
315.31-Expressive Language Disorder		.0%	.0%
315.9-Learning Disorder NOS	.0%	.1%	.1%
317-Mild Mental Retardation	.0%	.1%	.1%
318.0-Moderate Mental Retardation	.1%	.0%	.0%
318.1-Severe Mental Retardation		.0%	.0%
318.2-Profound Mental Retardation	.0%	.0%	.0%
319-Mental Retardation, Severity Unspecified	.0%	.0%	.0%
333.90-Medication-Induced Movement Disorder NOS		.0%	.0%
333.99-Neuroleptic-Induced Acute Akathisia	.0%	.0%	.0%
780.09-Delirium NOS	.0%		.0%
780.52-Sleep Disorder, Type		.0%	.0%
799.9-Diagnosis or Condition Deferred on Axis I or Axis II	.2%	.3%	.2%
No informaron	1.0%	4.1%	2.5%
Se desconoce	78.9%	67.6%	73.5%
V15.81-Noncompliance with Treatment'		.1%	.0%
'V61.10-Partner Relational Problem'	.6%	.2%	.4%
V61.20-Parent-Child Relational Problem'	.1%	.1%	.1%
V61.8-Sibling Relational Problem'	.0%	.0%	.0%
'V62.2-Occupational Problem'	.0%	.0%	.0%
V62.3-Academic Problem'	.0%		.0%
'V62.81-Relational Problem NOS'	.0%	.1%	.1%
V62.82-Bereavement'	.2%	.1%	.1%
'V62.89-Borderline Intellectual Functioning'	.1%		.1%
'V65.2-Malingering'	.0%		.0%
'V71.01-Adult Antisocial Behavior'		.0%	.0%

DIAGNOSTICO SECUNDARIO DSM IV POR SEXO

% within DE_Sexo

	DE_Sexo		
	FEMENINO	MASCULINO	Total
V71.09-No Diagnosis'.	1.5%	2.6%	2.0%
Total	100.0%	100.0%	100.0%

ESCALA GAF POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
RGAF GRUPOSC DE GAF	1-10	4.7%	6.6%	5.6%
	11-20	2.5%	1.3%	1.9%
	21-30	3.9%	3.6%	3.7%
	31-40	3.4%	7.7%	5.5%
	41-50	6.8%	12.6%	9.6%
	51-60	32.1%	34.0%	33.0%
	61-70	41.9%	30.2%	36.3%
	71-80	4.3%	3.9%	4.1%
	81-90	.3%	.2%	.3%
	91-100	.0%		.0%
	Total	100.0%	100.0%	100.0%

DROGA PRIMARIA POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
Droga1	ALCOHOL	1.3%	5.3%	3.2%
	ANESTESIA DE CABALLO		.0%	.0%
	ANFETAMINAS		.0%	.0%
	BARBITÚRICOS	.0%	.0%	.0%
	BENZODIAZEPINAS	.1%	.2%	.2%
	COCAÍNA	.6%	3.4%	2.0%
	CRACK	.6%	1.4%	1.0%
	ECTASY		.0%	.0%
	HEROÍNA (OPIÁCEOS)	.4%	1.8%	1.1%
	HEROÍNA + COCAÍNA (SPEED BALL)	.4%	1.7%	1.0%
	MARIHUANA	1.0%	5.0%	2.9%
	METADONA	.4%	.6%	.5%
	NO APLICA	92.8%	77.6%	85.5%
	NO USA ACTUALMENTE	.2%	.8%	.5%
	OTROS		.1%	.0%
	SEDANTES	.0%	.0%	.0%
	TABACO/CIGARRILLO	2.2%	1.8%	2.0%
	Total	100.0%	100.0%	100.0%

VIA DE UTILIZACION DE LA DROGA PROMARIA POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
Via1	FUMADA	3.9%	8.2%	5.9%
	INTRAVENOSA / INYECTADO	.5%	3.2%	1.8%
	NASAL / INHALAR	.8%	3.8%	2.2%
	NO APLICA	92.9%	78.4%	86.0%
	ORAL	1.9%	6.4%	4.1%
	Total	100.0%	100.0%	100.0%

FRECUENCIA DEL USA DE DROGA PRIMARIA POR SEXO

% within DE_Sexo

		DE_Sexo		
		FEMENINO	MASCULINO	Total
Frecuencia1	1-2 VECES A LA SEMANA	.5%	2.0%	1.2%
	1-3 VECES AL MES	.3%	1.9%	1.1%
	3-6 VECES A LA SEMANA	.6%	2.3%	1.5%
	DESCONOCIDO	.1%	.4%	.2%
	DIARIAMENTE	4.6%	10.6%	7.5%
	NO APLICA	92.9%	78.4%	86.0%
	NO HA USADO EN EL MES	1.0%	4.4%	2.6%
	Total	100.0%	100.0%	100.0%

Statistics

DE_Sexo

N	Valid	13581
	Missing	0

PROMEDIOS DE VARIOS INDICADORES

Descriptive Statistics

	N	Mean
NR_Edad	13581	46.35
NR_EscalaGAF	13581	66.91
IN_EdadInicioPrimario	13581	4.64
NR_GastoPrimario	13581	2.9608
Valid N (listwise)	13581	